

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: E04F 19/02, B27M 3/04, B32B 27/04

(11) International Publication Number:

WO 96/12857

A1

(43) International Publication Date:

2 May 1996 (02.05.96)

(21) International Application Number:

PCT/SE95/01206

(22) International Filing Date:

17 October 1995 (17.10.95)

(30) Priority Data:

9403620-9

24 October 1994 (24.10.94)

SE

(71) Applicant (for all designated States except US): PERSTORP FLOORING AB [SE/SE]; P.O. Box 1010, S-231 25 Trelleborg (SE).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): KORNFÄLT, Sven [SE/SE]; Sallerupsvägen 18, S-212 18 Malmö (SE). BENGTSSON, Per [SE/SE]; Skolgatan 13B, S-260 51 Ekeby (SE), SJÖLIN, Hans [SE/SE]; Klockarevägen 5, S-284 33 Perstorp (SE).
- (74) Agent: STENBERG, Yngve; Perstorp AB, S-284 80 Perstorp (SE).

(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PROCESS FOR THE PRODUCTION OF A FLOOR STRIP

(57) Abstract

A thin abrasion resistant decorative thermosetting laminate of postforming quality is glued to a longitudinal carrier. The carrier preferably consists of a fibre board or a particle board with a rectangular cross section and at least two opposite rounded-off edges. One or more floor strips with the same or different cross section is machined from the laminate clad carrier.



PROCESS FOR THE PRODUCTION OF A FLOOR STRIP

The present invention relates to a process for the production of a floor strip such as a dilatation profile, a transition profile or a finishing profile.

It is previously known to produce floor strips such as metal strips, wood veneer coated strips and strips of homogeneous wood.

There is a strong desire to bring about a floor strip with the same pattern as on a floor of thermosetting laminate. During the last years these floors have become very usual. For instance they are made with wood pattern, marble pattern and phantasy pattern. Possibly you can use a homogeneous wood strip or a wood veneer coated strip for a few of the wood patterned floors. Previously known strips do not go well together with all the other floor patterns.

In addition the purpose of the present invention is to provide a floor strip with improved abrasion resistance.

According to the present invention it has quite surprisingly been possible to meet the above needs and bring about a process for the production of floor strips such as a dilatation profile, a transition profile or a finishing profile. The process comprises glueing, preferably under heat and pressure a thin decorative thermosetting laminate of postforming quality having an abrasion resistance measured as IP-value >3000 revolutions, preferably >6000 revolutions, on a longitudinal carrier, which carrier preferably consists of a fibre board or a particle board with a rectangular cross-section and at least two opposite rounded-off edges. The postforming laminate is glued in one piece on the upper side and two long sides of the carrier via the rounded-off edges, whereupon one or more floor profiles having the same or different cross-section is machined from the laminate coated carrier.

According to one embodiment the carrier can be provided with a rectangular cross-section with three rounded-off edges.

One great advantage of the process for the production according to the invention is that it is very rational. From the same body, the laminate clad carrier, several profiles with varying shape can be machined. Usually a milling machine is used for machining the different kinds of profiles from the laminate coated carrier.

Preferably the carrier is water resistant. At a preferred embodiment the carrier consists of a high density fibre board made of fine fibres.

At a preferred embodiment the postforming laminate is glued in one piece on three of the four longitudinal sides of the carrier, preferably on the upper side and two long sides via the rounded-off edges. Advantageously, a heat and moisture resistant glue is used at the glueing. Preferably the glueing is carried out under heat and pressure. For instance the pressure can be regulated by means of rollers which press the laminate against the carrier. The temperature can for instance be regulated with heating nozzles which can give an even current of warm air.

At another embodiment the carrier can be provided with a rectangular cross-section and three rounded-off edges. The postforming laminate is then glued in one piece on all four sides of the carrier via the rounded-off edges.

Suitably the postforming laminate consists of at least one monochromatic or patterned paper sheet impregnated with a thermosetting resin, preferably melamine-formaldehyde resin and preferably one or more sheets for instance of parchment, vulcanized fibres or glass fibres. The last mentioned sheets are preferably not impregnated with any thermosetting resin, but the thermosetting resin from the sheets situated above will enter these sheets at the laminating step, where all sheets are bonded together.

Generally the term postforming laminate means a laminate which is so flexible that it can be formed at least to a certain extent after the production thereof. Ordinary qualities of thermosetting decorative laminates are rather brittle and cannot be regarded as postforming laminates.

Usually the postforming laminate includes at least one uppermost transparent paper sheet made of α -cellulose and impregnated with a thermosetting resin, preferably melamine-formaldehyde resin. This so-called overlay is intended to protect an underlying decor sheet from abrasion.

Often at least one of the paper sheets of the postforming laminate impregnated with thermosetting resin, preferably the uppermost one is coated with hard particles for instance silica, aluminium oxide and/or silicon carbide with an average particle size of about 1-80 μ m, preferably about 5-60 μ m evenly distributed over the surface of the paper sheet.

In a preferred embodiment the hard particles are applied on the resin impregnated paper surface before the resin has been dried.

The hard particles improve the abrasion resistance of the laminate. Hard particles are used in the same way at the production of laminates which are subject to a hard wear such as flooring laminates.

The abrasion resistance of the postforming laminates are tested according to the European standard EN 438-2/6:1991. According to this standard the abrasion of the decor sheet of the finished laminate to the so-called IP-point (initial point) is measured, where the starting abrasion takes place.

The IP-value suitably lies within the interval 3000-20000, preferably 3000-10000 revolutions.

Thus, the manufacturing process according to the invention makes it possible to produce laminate clad profiles with the same surface pattern and about the same abrasion resistance as the laminate floorings they are intended to go together with.

Of course the pattern of the profiles can also be adapted to other flooring materials than laminate floorings, such as parquette floorings and soft plastic floorings.

The present invention will be explained further in connection with the embodiment example below and the enclosed figures of which figure 1 shows a postforming laminate 1 glued to a longitudinal carrier 2. Figure 2 shows a dilatation profile 3 with a postforming laminate 1 glued thereto, while figure 3 illustrates a finishing profile 4 with a postforming laminate 1 glued thereto. Finally figure 4 shows a transition profile 5 with a postforming laminate 1 glued thereto.

On the figures the thickness of the postforming laminate 1 has been magnified as compared to the size of the carrier 2 and the profiles 3-5 respectively to better illustrate that a postforming laminate 1 is glued to the carrier 2 and the profiles 3-5 respectively.

Of course the figures 1-4 only show one embodiment of the carrier 2 and the profiles 3-5 respectively which can be produced according to the invention. Various other designs are possible.

Example

A roll of transparent so-called overlay paper of α -cellulose with a surface weight of $25~g/m^2$ was impregnated with an aqueous solution of melamine-formaldehyde resin to a resin content of 70 percent by weight calculated on dry impregnated paper. Immediately after the impregnation, aluminium oxide particles with an average particle size of 50 μ m were applied to the upper side of the paper in an amount of 7 g/m^2 by means of a doctor-roll placed above the paper web.

Thus, the hard aluminium particles were applied in the melamine-formaldehyde resin which had not been dried yet.

The impregnated paper web was then fed continuously into a heating oven, where the solvent was evaporated. At the same time the resin was partially cured to so-called B-stage. Thereby the aluminium oxide particles were enclosed in the resin layer and arcordingly concentrated to the surface of the product obtained which is usually called prepreg. The prepreg web obtained was then rolled again.

A roll of conventional nontransparent so-called decor paper with a decor pattern printed thereon and having a surface weight of 80 g/m^2 was treated in the same way as the overlay paper except for the fact that no aluminium oxide particles were applied and that the resin content was 50 percent by weight calculated on dry impregnated paper.

A roll of unimpregnated parchment with a surface weight of 120 g/m² was used at the production of the postforming laminate.

The two prepreg webs impregnated with melamine-formaldehyde resin and the unimpregnated parchment web were pressed between two press bands of a continuous laminating press to a decorative postforming laminate.

At the pressing a prepreg web of α -cellulose was placed on top with the side with the hard particles directed upwards. Underneath followed a prepreg web of decor paper and at the bottom a web of parchment. The prepreg webs and the parchment web were pressed together at a pressure of 35 kp/cm² and at a temperature of 170° C.

The decorative postforming laminate obtained was cut with roller knives to strips of suitable length and width

A longitudinal carrier 2 with a rectangular cross-section and two opposite rounded-off edges according to figure 1 was machined from a fibre board by means of a milling machine. The fibre board was a water resistant board of so-called MDF-quality (medium density fibre board quality) of high density made of finely divided fibres.

A strip of postforming laminate 1 was glued under heat and pressure to the longitudinal carrier 2 with a heat and moisture resistant glue. The pressure was regulated with rolls which pressed the laminate against the carrier and the temperature was regulated with heating nozzles which blew an even current of warm air.

A dilation profile 3 according to figure 2 was machined from the laminate clad carrier by milling.

WO 96/12857 5 PCT/SE95/01206

Instead two finishing profiles 4 according to figure 3 or one transition profile 5 according to figure 4 can be produced from the same carrier. This results in a rational and cost-saving production.

The abrasion resistance of the postforming laminate obtained was measured. Then a value for the IP-point amounting to 7000 revolutions was obtained.

The present invention is not limited to the embodiments disclosed, since these can be modified in different ways within the scope of the present invention.

CLAIMS

- 1. Process for the production of a floor strip such as a dilatation profile, a transition profile or a finishing profile, which comprises glueing preferably under heat and pressure a thin decorative thermosetting laminate of postforming quality having an abrasion resistance measured as IP-value >3000 revolutions, preferably >6000 revolutions, on a longitudinal carrier, which carrier preferably consists of a fibre board or a particle board with a rectangular cross-section and at least two opposite rounded-off edges, whereby the postforming laminate in one piece is glued on the upper side and two long sides of the carrier via the rounded-off edges, whereupon one or more floor profiles having the same or different cross-section is machined from the laminate coated carrier.
- 2. Process according to claim 1 wherein a water resistant carrier is used.
- 3. Process according to claim 1 or 2, wherein the postforming laminate consists of at least one monochromatic or patterned paper sheet impregnated with a thermosetting resin, preferably melamine-formaldehyde resin and preferably one or more sheets for instance consisting of parchment, vulcanized fibres or glass fibres which preferably are not impregnated with a thermosetting resin.
- 4. Process according to any one of claims 1-3, wherein the postforming laminate includes at least one uppermost transparent paper sheet, so-called overlay of α -cellulose impregnated with a thermosetting resin, preferably melamine-formaldehyde resin.
- 5. Process according to any one of claims 1-4 wherein at least one of the paper sheets of the postforming laminate being impregnated with thermosetting resin, preferably at least the uppermost sheet is coated with hard particles for example silica, aluminium oxide and/or silicon carbide with an average particle size of 1-80 μm, preferably about 5-60 μm evenly distributed over the surface of the paper sheet.
- 6. Process according to any one of claims 1-5, wherein the IP-value lies within the interval 3000-20000 revolutions, preferably 3000-10000 revolutions.

Fig. 1




Fig. 2




Fig. 3





Fig. 4



CLASSIFICATION OF SUBJECT MATTER

IPC6: E04F 19/02, B27M 3/04, B32B 27/04
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: E04F, B27M, B32B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE, DK, FI, NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

MOT CLATMS

WPI, UL	WPI, CLAIMS				
C. DOCU	MENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
Α	US 4198455 A (E.M. SPIRO ET AL), 15 April 1980 (15.04.80), column 1, line 65 - line 68; column 2, line 1 - line 7, abstract	1-6			
-					
A	<pre>SE 467150 B (PERSTORP AB), 1 June 1992 (01.06.92), page 4, line 18 - line 30; page 5, line 1 - line 17</pre>	1-6			
A	US 3671369 A (A.M. KVALHEIM ET AL), 20 June 1972 (20.06.72), column 1, line 12 - line 16; column 2, line 65 - line 72; column 3, line 1 - line 3	1-6			
					

"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other	step when the document is taken alone
	special reason (as specified)	"Y" document of particular relevance: the claimed invention cannot be
″0″	document referring to an oral disclosure, use, exhibition or other means	considered to involve an inventive step when the document is combined with one or more other such documents, such combinatio being obvious to a person skilled in the art
"P"	document published prior to the international filing date but later than the priority date claimed	"&" document member of the same patent family
Date	e of the actual completion of the international search	Date of mailing of the international search report
		2 9 -03- 1996
28	March 1996	
Nan	ne and mailing address of the ISA/	Authorized officer
Swe	edish Patent Office	
Box	5055, S-102 42 STOCKHOLM	Örjan Nylund
Fac	simile No. +46 8 666 02 86	Telephone No. +46 8 782 25 00

See patent family annex.

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive

Special categories of cited documents:

to be of particular relevance

Further documents are listed in the continuation of Box C.

document defining the general state of the art which is not considered

erlier document but published on or after the international filing date

international application No.

PCT/SE 95/01206

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
1	US 4643237 A (J. ROSA), 17 February 1987 (17.02.87), abstract	1-6
		
		1
	SA/210 (continuation of second sheet) (July 1992)	



05/02/96

International application No. PCT/SE 95/01206

	document earch report	Publication date	Patent family member(s)	Publication date
US-A-	4198455	15/04/80	NONE	
SE-B-	467150	01/06/92	AT-T- 108731 CA-A- 1321133 DE-D,T- 68916877 EP-A,A,A 0355829 SE-T3- 0355829 EP-A,A- 0590693 EP-A,A- 0592013 ES-T- 2059659 NO-B,C- 174336 SE-A- 8802982 US-A- 5034272	15/08/94 10/08/93 15/12/94 28/02/90 06/04/94 13/04/94 16/11/94 10/01/94 26/02/90 23/07/91
US-A-	3671369	20/06/72	NONE	
US-A-	4643237	17/02/87	CA-A- 1246427 EP-A,B- 0160613 SE-T3- 0160613 FR-A,B- 2561161 US-A- 4800796	13/12/88 06/11/85 20/09/85 31/01/89



WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: E04F 19/02, B27M 3/04, B32B 27/04

A1

(11) International Publication Number:

WO 96/12857

(43) International Publication Date:

2 May 1996 (02.05.96)

(21) International Application Number:

PCT/SE95/01206

(22) International Filing Date:

17 October 1995 (17.10.95)

(30) Priority Data:

9403620-9

24 October 1994 (24.10.94)

SE

(71) Applicant (for all designated States except US): PERSTORP FLOORING AB [SE/SE]; P.O. Box 1010, S-231 25 Trelleborg (SE).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): KORNFÄLT, Sven [SE/SE]; Sallerupsvägen 18, S-212 18 Malmö (SE). BENGTSSON, Per [SE/SE]; Skolgatan 13B, S-260 51 Ekeby (SE). SJÖLIN, Hans [SE/SE]; Klockarevägen 5, S-284 33 Perstorp (SE).
- (74) Agent: STENBERG, Yngve; Perstorp AB, S-284 80 Perstorp (SE).

(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PROCESS FOR THE PRODUCTION OF A FLOOR STRIP

(57) Abstract

A thin abrasion resistant decorative thermosetting laminate of postforming quality is glued to a longitudinal carrier. The carrier preferably consists of a fibre board or a particle board with a rectangular cross section and at least two opposite rounded-off edges. One or more floor strips with the same or different cross section is machined from the laminate clad carrier.



A. CLASSIFICATION OF SUBJECT MATTER

IPC6: E04F 19/02, B27M 3/04, B32B 27/04 According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: E04F, B27M, B32B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI, CLAIMS

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4198455 A (E.M. SPIRO ET AL), 15 April 1980 (15.04.80), column 1, line 65 - line 68; column 2, line 1 - line 7, abstract	1-6
A	SE 467150 B (PERSTORP AB), 1 June 1992 (01.06.92), page 4, line 18 - line 30; page 5, line 1 - line 17	1-6
A	US 3671369 A (A.M. KVALHEIM ET AL), 20 June 1972 (20.06.72), column 1, line 12 - line 16; column 2, line 65 - line 72; column 3, line 1 - line 3	1-6
		

*	Special categories of cited documents:	~ T~	later document published after the international filing date or priority date and not in conflict with the application but cited to understand		
"A"	document defining the general state of the art which is not considered to be of particular relevance		the principle or theory underlying the invention		
"E"	erlier document but published on or after the international filing date	"X"	document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive		
."L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other		step when the document is taken alone		
	special reason (as specified)	"Y"	document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is		
" O"	document referring to an oral disclosure, use, exhibition or other means		combined with one or more other such documents, such combination being obvious to a person skilled in the art		
"P"	"P" document published prior to the international filing date but later than the priority date claimed		"&" document member of the same patent family		
Date	e of the actual completion of the international search	Date	of mailing of the international search report		
			2 9 -03- 19 96		
28	March 1996				
	Name and mailing address of the ISA/		rized officer		
L	edish Patent Office				
	Box 5055, S-102 42 STOCKHOLM		n Nylund		
	Facsimile No. + 46 8 666 02 86		Telephone No. +46 8 782 25 00		

See patent family annex.

Further documents are listed in the continuation of Box C.

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
A	US 4643237 A (J. ROSA), 17 February 1987 (17.02.87), abstract	1-6
·		
3		
		4
:	•	
	·	
		<u> </u>



International application No.

05/02/96 PCT/SE 95/01206

Patent o	iocument arch report	Publication date	Patent family member(s)	Publication date
IS-A-	4198455	15/04/80	NONE	
E-B-	467150	01/06/92	AT-T- 108731 CA-A- 1321133 DE-D,T- 68916877 EP-A,A,A 0355829 SE-T3- 0355829 EP-A,A- 0590693 EP-A,A- 0592013 ES-T- 2059659 NO-B,C- 174336 SE-A- 8802982 US-A- 5034272	15/12/94 28/02/90 06/04/94 13/04/94 16/11/94 10/01/94 26/02/90
 US-A-	3671369	20/06/72	NONE	
 US-A-	4643237	17/02/87	CA-A- 1246427 EP-A,B- 0160613 SE-T3- 0160613	3 06/11/85 3
			FR-A,B- 2561161 US-A- 4800796	

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

	The state of the s	
Applicant's or agent's file reference Case 484 PCT	ACTION (Form PCT/ISA/220	Pransmittal of International Search Report 1) as well as, where applicable, item 5 below.
International application No.	International filing date (day month year)	(Earliest) Priority Date (day/month/year)
PCT/SE 95/01206	17 October 1995	24 October 1994
Applicant		
Perstorp Flooring AB et a	1	
This international search report has applicant according to Article 18. A	been prepared by this International Searchicopy is being transmitted to the Internation	ng Authority and is transmitted to the al Bureau.
This international search report cons	sists of a total of 3 sheets.	
It is also accompanied by a	a copy of each prior art document cited in the	nis report.
1. Certain claims were found to	unscarchable (See Box I).	
2. Unity of invention is lacking	g (See Box II).	
3. The international application international search was ca	on contains disclosure of a nucleotide and/or arried out on the basis of the sequence listing	amino acid sequence listing and the
, ,	filed with the international application.	
	furnished by the applicant separately from the	ne international application,
	I to a statem	nent to the effect that it did not include are in the international application as filed.
	transcribed by this Authority.	
<u></u>		
ļ	the trut is granual as submitted by the con-	olicant.
1 4. Willi regard to the ride, N 1	the text is approved as submitted by the app the text has been established by this Authori	
	the text has been established by this Author	,
5. With regard to the abstract,	the text is approved as submitted by the app	licant.
	the text has been established according to R	ule 38.2(b), by this Authority as it appears
	in Box III. The applicant may, within one material search report, submit comments to	ionin from the date of maning of this meet
6. The figure of the drawings to be	e published with the abstract is: as suggested by the applicant.	None of the figures.
rigure No.	because the applicant failed to suggest a figure	<u> </u>
	because this figure better characterizes the i	·
	Second of the Heart Second of the Contract of	

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 95/01206

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: E04F 19/02, B27M 3/04, B32B 27/04 According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: E04F, B27M, B32B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI	CL	Α	Ι	MS

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4198455 A (E.M. SPIRO ET AL), 15 April 1980 (15.04.80), column 1, line 65 - line 68; column 2, line 1 - line 7, abstract	1-6
	- 	
Α	<pre>SE 467150 B (PERSTORP AB), 1 June 1992 (01.06.92), page 4, line 18 - line 30; page 5, line 1 - line 17</pre>	1-6
		
Α	US 3671369 A (A.M. KVALHEIM ET AL), 20 June 1972 (20.06.72), column 1, line 12 - line 16; column 2, line 65 - line 72; column 3, line 1 - line 3	1-6
•		

Х	Further documents are listed in the continuation of Box	x C.
* "A"	Special categories of cited documents: document defining the general state of the art which is not considered	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E"	to be of particular relevance erlier document but published on or after the international filing date document which may throw doubts on priority claim(s) or which is	"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
″O″	cited to establish the publication date of another citation or other special reason (as specified) document referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination
"P"	means document published prior to the international filing date but later than the priority date claimed	haing absings to a person skilled in the art
Dat	e of the actual completion of the international search	Date of mailing of the international search report 29 -03- 1996
	March 1996	
Nar	ne and mailing address of the ISA/	Authorized officer
Sw. Box	edish Patent Office < 5055, S-102 42 STOCKHOLM	Örjan Nylund
Fac	simile No. +46 8 666 02 86	Telephone No. +46 8 782 25 00

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

International application No. PCT/SE 95/01206

ategory*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
	US 4643237 A (J. ROSA), 17 February 1987 (17.02.87), abstract	1-6
	,	
		·
	,	1.
,		
	·	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

05/02/96

PCT/SE 95/01206

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US-A-	4198455	15/04/80	NONE	
SE-B-	467150	01/06/92	AT-T- 108731 CA-A- 1321133 DE-D,T- 68916877 EP-A,A,A 0355829 SE-T3- 0355829 EP-A,A- 0590693 EP-A,A- 0592013 ES-T- 2059659 NO-B,C- 174336 SE-A- 8802982 US-A- 5034272	15/08/94 10/08/93 15/12/94 28/02/90 06/04/94 13/04/94 16/11/94 10/01/94 26/02/90 23/07/91
JS-A-	3671369	20/06/72	NONE	
US-A-	4643237	17/02/87	CA-A- 1246427 EP-A,B- 0160613 SE-T3- 0160613 FR-A,B- 2561161 US-A- 4800796	13/12/88 06/11/85 20/09/85 31/01/89



From the IN	TERNATION	ONAL B	BUREAU
-------------	-----------	--------	--------

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2)	United States Patent and Trademark Office (Box PCT) Washington D.C. 20231 United States of America
Date of mailing (day/month/year) 14 May 1996 (14.05.96)	in its capacity as elected Office
International application No. PCT/SE95/01206	Applicant's or agent's file reference Case 484 PCT
International filing date (day/month/year) 17 October 1995 (17.10.95)	Priority date (day/month/year) 24 October 1994 (24.10.94)
Applicant	
KORNFÄLT, Sven et al	
The designated Office is hereby notified of its election made X in the demand filed with the International Preliminary 26 April 1996 (2)	Examining Authority on:
in a notice effecting later election filed with the Internation 2. The election X was was not	ntional Bureau on:
made before the expiration of 19 months from the priority de Rule 32.2(b).	ate or, where Rule 32 applies, within the time limit under

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

F. Gateau

Telephone No.: (41-22) 730.91.11

Facsimile No.: (41-22) 740.14.35



PATENT COOPERATION THE TY

REC'D	2 5 OCT	1996
WIPO	PCT	

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

80

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference		San Nati	Sania S. T. Wal of Internal of	
Case 484 PCT	FOR FURTHER AC	. 1 12 2/4	fication of Transmittal of International y Examination Report (Form PCT/IPEA/416)	
International application No.	International filing date	(day/month/year)	Priority date (day/month/year)	
PCT/SE95/01206	17.10.1995		24.10.1994	
International Patent Classification (IPC)	or national classification	and IPC ₆		
E04F 19/02, B27M 3/04	, B32B 27/04			
Applicant				
Perstorp Flooring AB	et al			
				
This international preliminary ex. Authority and is transmitted to the			ernational Preliminary Examining	
2. This REPORT consists of a total	of 3 sheet	s, including this cover	r sheet.	
	, ,		tion, claims and/or drawings which have ectifications made before this Authority	
(see Rule 70.16 and Section				
These annexes consist of a total of	of sheet	S.		
3. This report contains indications re	elating to the following it	tems:		
I Basis of the report	I Basis of the report			
II Priority				
III Non-establishment of	opinion with regard to r	novelty, inventive step	and industrial applicability	
IV Lack of unity of inver	ntion			
	under Article 35(2) with tions supporting such sta		entive step or industrial applicability;	
VI Certain documents ci	ted			
VII Certain defects in the	international application	1		
VIII Certain observations	on the international appl	ication		
Date of submission of the demand		Date of completion of	of this report	
26.04.1996	26.04.1996 19.09.1996			
Name and mailing address of the IPEA/SE	Σ	Authorized officer		
Patent- och registreringsverket Box 5055	Telex 17978			
S-102 42 STOCKHOLM	PATOREG-S	Örjan Nylu		
Facsimile No. 08-667 72 88		Telephone No. 08-	782 25 00	

Form PCT/IPEA/409 (cover sheet) (January 1994)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/SE95/01206

I.	Basi	s of th	e report		
1.	This re	eport h	nas been drawn of 4 are referred to in	n the basis of (Replacement she this report as "originally filed"	ets which have been furnished to the receiving Office in response to an invitation and are not annexed to the report since they do not contain amendments.):
		\square	the international	application as originally file	d.
			the description,	pages	, as originally filed,
					, filed with the demand,
					, filed with the letter of,
					, filed with the letter of
			the claims,	Nos.	, as originally filed,
				Nos.	, as amended under Article 19,
				Nos.	, filed with the demand,
					, filed with the letter of,
				Nos.	, filed with the letter of
			the drawings,	sheets/fig	, as originally filed,
				sheets/fig	, filed with the demand
				sheets/fig	, filed with the letter of,
				sheets/fig	, filed with the letter of
3.		This	the description, the claims, the drawings, report has been e	Nossheets/fig	e amendments had not been made, since they have been considered to
			eyond the discloss	•	ne supplemental Box (Rule 70.2(c)).

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/SE95/01206

V,	Resoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
	citations and explanations supporting such statement

1.	Statement			
	Novelty (N)	Claims Claims	1-6	YES NO
	Inventive step (IS)	Claims Claims	1-6	YES NO
	Industrial applicability (IA)	Claims Claims	1-6	YES NO

2. Citations and explanations

The present invention relates to a process for the production of a floor strip such as a dilatation profile, a transition profile or a finishing profile.

The purpose of the invention is to produce a floor strip with the same pattern as on a floor of thermosetting laminate. Another purpose is to provide a floor strip with improved abrasion resistance.

According to the invention a thin abrasion resistant decorative thermosetting laminate is glued to a longitudinal carrier. Thereafter, one or more floor strips with the same or different cross-sections is machined from the laminated clad carrier.

US 4198455 is considered to be the most relevant citation. This document describes a moulding strip formed of a plywood substrate covered by an overlay film of flexible decorative PVC material. A groove is cut in the plywood carrier so that the film functions as a hinge to facilitate bending of the strip into, and around corners.

The invention differs from what previously known in that the laminate glued to the carrier has a high abrasion resistance. It also differs in that different cross-sections is machined from the laminate coated carrier.

Therefore, the subject matter claimed is novel. It can also be considered to involve an inventive step an to have industrial applicability.



PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	FOR FURTHER ACTIO	N ·	fication of Transmittal of International
Case 484 PCT			y Examination Report (Form PCT/IPEA/416)
International application No.	International filing date (da)	/month/year)	Priority date (day/month/year)
PCT/SE95/01206	17.10.1995		24.10.1994
International Patent Classification (IPC)		PC ₆	
E04F 19/02, B27M 3/04	, B32B 27/04		
Applicant			
Applicant Perstorp Flooring AB	et al		
reiscoip ricoring /m	cc ur		
This international preliminary ex Authority and is transmitted to the			ernational Preliminary Examining
			r cheat
			tion, claims and/or drawings which have ectifications made before this Authority
	n 607 of the Administrative In		
These annexes consist of a total of	of sheets.		
This report contains indications r	elating to the following items	:	
I Basis of the report			
II Priority			
III Non-establishment o	f opinion with regard to novel	ty, inventive step	and industrial applicability
IV Lack of unity of inve	ntion		
	under Article 35(2) with regar		entive step or industrial applicability;
VI Certain documents ci			
VII Certain defects in the	e international application		
VIII Certain observations	on the international application	on	
Date of submission of the demand	Da	e of completion	of this report
Date of Submission of the defining		_ sr compression	
26.04.1996	19	0.09.1996	
Name and mailing address of the IPEA/S	E An	horized officer	
Patent- och registreringsverket	Telex		
Box 5055 S-102 42 STOCKHOLM	17978 PATOREG-S Ör	jan Nylu	nd
Facsimile No. 08-667 72 88		ephone No. 08-	

Form PCT/IPEA/409 (cover sheet) (January 1994)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/SE95/01206

L. Basis of the report		
1. This report has been drawn o under Article 14 are referred to in	on the basis of (Replacement shaths the same of this report as "originally filed"	heets which have been furnished to the receiving Office in response to an invitation " and are not annexed to the report since they do not contain amendments.):
the international	l application as originally fil	led.
the description,	pages	, as originally filed,
ш -		_ , filed with the demand,
		, filed with the letter of,
		, filed with the letter of
the claims,	Nos.	_ , as originally filed,
٠		, as amended under Article 19,
	the state of the s	, filed with the demand,
		, filed with the letter of,
		, filed with the letter of
the drawings,	sheets/fig	_ , as originally filed,
_	sheets/fig	, filed with the demand
	sheets/fig	, filed with the letter of,
	sheets/fig	, filed with the letter of
	Nos. sheets/fig established as if (some of) the	- -
4. Additional observations, if n	ecessary:	
	•	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/SE95/01206

V.	Resoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
	citations and explanations supporting such statement

1.	Statement			
	Novelty (N)	Claims Claims	1-6	YES NO
	Inventive step (IS)	Claims Claims	1-6	YES NO
	Industrial applicability (IA)	Claims Claims	1-6	YES NO

2. Citations and explanations

The present invention relates to a process for the production of a floor strip such as a dilatation profile, a transition profile or a finishing profile.

The purpose of the invention is to produce a floor strip with the same pattern as on a floor of thermosetting laminate. Another purpose is to provide a floor strip with improved abrasion resistance.

According to the invention a thin abrasion resistant decorative thermosetting laminate is glued to a longitudinal carrier. Thereafter, one or more floor strips with the same or different cross-sections is machined from the laminated clad carrier.

US 4198455 is considered to be the most relevant citation. This document describes a moulding strip formed of a plywood substrate covered by an overlay film of flexible decorative PVC material. A groove is cut in the plywood carrier so that the film functions as a hinge to facilitate bending of the strip into, and around corners.

The invention differs from what previously known in that the laminate glued to the carrier has a high abrasion resistance. It also differs in that different cross-sections is machined from the laminate coated carrier.

Therefore, the subject matter claimed is novel. It can also be considered to involve an inventive step an to have industrial applicability.

From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY **PCT** NOTIFICATION OF RECEIPT Perstorp AB OF DEMAND 284 80 PERSTORP (PCT Rule 61.1(b), first sentence and Administrative Instructions, Section 601) BEST AVAILABLE COPY **30** -04- 1996 Date of mailing (day/month/year) Applicant's or agent's file reference IMPORTANT NOTIFICATION Case 484 PCT Priority date (day/month/year) International filing date (day/month/year) International application No. 17-10-1995 PCT/SE95/01206 Applicant Perstorp Flooring AB et al The applicant is hereby notified that this International Preliminary Examining Authority considers the following date as the date of receipt of the demand for international preliminary examination of the international application: 26-04-1996 This date of receipt is: X the actual date of receipt of the demand.

	X the actual date of recept vi
15 m	the date on which the proper corrections to the demand were timely received.
	Little date of which the Property of the Control of
inter	경시한 시민들은 이 그 시작에 들고 하고 있다면 그들은 이 이 가게 있다는 것 같은 하였다면 이 그렇다면 하고 있다. 나를 하였다. 그를
ا د د الوس	등에 가는 살을 했다는 이번 아이들이 살아 있다면 하는데 하는데 하는데 얼마를 하는데
	5 10 weaths from the priority date.
	This date is AFTER the expiration of 19 months from the priority date.
	Attention: The election(s) made in the demand does (do) not have the effect of postponing the commencer
	Attention: The election(s) made in the demand does (do) not take the original control of the national phase until 30 months from the priority date (or later in some Offices) (Article 39(1)). There of the national phase until 30 months from the priority date (or later in some Offices) (Article 39(1)).
	of the national phase until 30 months from the priority date (or later in solution) of the national phase must be performed within 20 months from the priority date (or later in solution) the national phase must be performed within 20 months from the priority date (or later in solution).
ing the second	the acts for entry into the national phase must be performed within 20 men
٠.	in some Offices) (Article: 22).
	등 2의 원토교의 교회 의견 의견 이 시네. 그 이번에 가는 그를 그렇게 되는 것을 하는 생각을 맺다. 뉴스트로 DC
	For details, see Annex B to Form PCT/IB/301 sent by the International Bureau and Volume II of the PC
	Applicant's Guide.
	선택하다 한 살았다. 그는 사람이 아직 중에 전하는 것이 하는 사람들은 사람들이 되었다. 그 네트를 가지 않는데 하다.
	This notification confirms the information given in person or by telephone on:
ر مور در روزه	This notification could his the management of the state o
	아니다 본 할 때 그리어 생각한 실시하고 생각한 다른 살아왔다는 아내가 그 친구들이다. 얼굴 취고하는 사람이 하는 것
	왕 사용하다면 하다 나도 가 <u>지는 사는 가는 등 사용하는 하다는 사내를 하다</u> 고 내용하는 이번 나는 아들을 하다.
	가입 이 생물하는 것이 나는 나에서 집에 집에 가입하면 하는 사람이 그렇게 하는 사람들이 없는 사람들이 되었습니다.
es (경험하다 하나를 보고 있다. 얼마를 보고 있는 것도 되었다. 얼마를 하는 것은 사람들이 되었다. 그렇게 보고 있다면 보고 있다면 보고 있다면 다른 History 하나를 보고 있다.
Inly	where paragraph, 3 applies, a copy of this notification has been sent to the International Bureau.
,y	이야하면 하면 하는 사람들이 살아 있다. 그는 사람이 아들이 있는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 되었다.

Telex

17978

PATOREG-S

Authorized officer

Telephone No:

LINDA MELLQVIST

08-782 25 00

Facsimile No. 08-667 72 88
Form PCT/IPEA/402 (July 1992)

S-102 42 STOCKHOLM

Patent- och registreringsverket

Box 5055

Name and mailing address of the IPEA/

From the INTERNATIONAL BUREAU

PCT

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

STENBERG, Yngve Perstorp AB S-284 80 Perstorp SUEDE

aest available copy

Date of mailing (day/month/year) 02 May 1996 (02.05.96)

Applicant's or agent's file reference

Case 484 PCT

IMPORTANT NOTICE

International application No.:

International filing date 17. October 1995 (17. 10.95) Priority date

24 October 1994 (24.10.94)

Applicant...

PERSTORP FLOORING AB et al

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application if the following designated Offices on the date indicated above as the date of mailing of this Notice:

AT,AU,BR,CA,CN,CZ,DE,EP,FI,GB,JP,KP,KR,EK,NO,NZ,PL,RO,RU,SK,US

- 2: In accordance with Rule 47:1(c), third sentence, each designated Office will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no accept the international application is required to be furnished by the applicant to the designated Offices.
- : Enclosed with this Notice is a copy of the international application as published by the international Bureau on

02 May 1996 (02.05.96) under No. WO 96/12857

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examination of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19 month time limit

Note that only an applicant who is a national of résident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for internation! preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase; he must, within 20 months or 30 months, or later, in some Offices, perform the acts referred to the rein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20; Switzerland Authorized officer

J. Zahra

acsimile No.: (41-22) 740.14.35

Telephone No : (41-22) 730:91:11



NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

-]	Date of mailing (day/month/year)	【新闻·新闻传播》(宋代·古代·西州新闻帝、西州、西州、西州、南州南州南州市、西州、西州市、南州市、南州市、南州市、南州市、南州市、南州市、南州市、南州市、南州市、南
.	[19] 基础的基础的设计,2017年2月2日,1946年2月,1967年2月1日,1968年2月2日(1977年2月) 1977年2月,1977年2月1日,1977年2月	1 : 사람들의 경기 전에, 전 교회회에 함께 전기하는 기계를 하고 하게 하셨다는데 가장이다.
	02 May 1996 (02:05.96)	IMPORTANT NOTICE
۱'	上投入された。 こうべい 他の後後の前先とよない あきにんけい いんだんしん だけらりん 海外が造り こうけんりょうい だいものでんしょう でんぱい アンス・アンド	
÷	The state of the second of	a contract approximate the property of the pro
- 1	是" <u>这一种"的</u> "我们的"我们",我说:"我们,我们不是一个,我们就会会会会会会。""这一样,我们就会会会会会会会会会。""我们,我们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
1	Applicant's or agent's file reference	International application No.
	이 어느 (아니다) 그 살아서 얼마나 사람들이 되어 없어 하는 것이 없는 것이 하는 것이 되었다. 그는 것이 살아 하는 것이 없는 것이 없는 것이 없다.	
1	Case 484 PCT	BCT/CF0F/01006
1		PCT/SE95/01206
1	<u>- 하는 그리는 학생기대학 (학교 6학의 대학교의 한당관원 학</u> 원 회원인원 (학교 등 는 경기 교육적 원인기대표 전 및 관련인	[20] 그의 그런 아니라 아니라 그는 그는 그는 사람들이 되는 것 같아요? 기계를 하지만 되었다면 함께 중심하다.]

The designated Office(s) of:

AM;AP;BB;BG;BY,CH;DK;EE,ES;GE;HU;IS;KE,KG;KZ;LR;LT;LU;LV;MD;MG;MN;MW;MX;OA;PT;SD; SE;SG;SI;TU;TM;TT;UA;UG;UZ;VN

has (have) waived the requirement for such a communication, but nevertheless a copy of the international application need not be furnished by the applicant to the Office(s) concerned.

The applicant is hereby notified that, at the time of establishment of this Notice, the time limit under Rule 46:1 for making amendments under Article 19 has not yet expired and the international Bureau had received neither such amendments nor a declaration that the applicant does not wish to make amendments.

From the INTERNATIONAL BUREAU

PCT

NOTIFICATION CONCERNING SUBMISSION OF PRIORITY DOCUMENTS

(PCT Administrative Instructions, Section 411)

STENBERG, Yngve Perstorp AB

S-284 80 Perstorp

SUEDE

Date of mailing (day/month/year)

21 November 1995 (21.11.95)

Applicant's or agent's file reference

Case 484 PCT

IMPORTANT NOTIFICATION

International application No. PCT/SE95/01206

International filing date (day/month/year)

Priority date (day/month/year)

17 October 1995 (17.10.95)

24 October 1994 (24.10.94)

Applicant

PERSTORP FLOORING AB et al

The applicant is hereby notified of the date of receipt by the International Bureau of the priority document(s) relating to the following application(s):

Priority application No:

Priority date:

Priority country:

Date of receipt of priority document:

9403620-9

24 Oct 1994 (24.10.94)

SE

21 Nov 1995 (21.11.95)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

B. Fitzgerald

Telephone No.: (41-22) 730.91.11

REQUEST

For receiving Office use only
International Application No.
International Filing Date
Name of receiving Office and "PCT International Application"

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty. Applicant's or agent's file reference Case 484 PCT (if desired) (12 characters maximum) TITLE OF INVENTION Box No. I Process for the production of a floor strip APPLICANT Box No. II (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) Name and address: This person is also inventor. Perstorp Flooring AB Telephone No Strandridaregatan 8 +46 410 50100 S-231 25 Trelleborg Facsimile No. Sweden +46 410 15560 Teleprinter No. State (i.e. country) of nationality: State (i.e. country) of residence: Sweden Sweden all designated States except X the United States of America the United States of America only the States indicated in the Supplemental Box This person is applicant for the purposes of: all designated States Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) Name and address: This person is: applicant only Kornfält, Sven Sallerupsvägen 18 applicant and inventor S-212 18 Malmö Sweden inventor only (If this check-box is marked, do not fill in below.) State (i.e. country) of residence: State (i.e. country) of nationality: Sweden Sweden the United States of America only the States indicated in the Supplemental Box all designated States except This person is applicant all designated States the United States of America for the purposes of: X Further applicants and/or (further) inventors are indicated on a continuation sheet. AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE Box No. IV The person identified below is hereby/has been appointed to act on behalf common representative agent X of the applicant(s) before the competent International Authorities as: (Family name followed by given name: for a legal entity, full official designation. The address must include postal code and name of country.) Telephone No Name and address: +46 435 38310 Facsimile No. Stenberg, Yngve c/o Perstorp AB +46 435 38920 S-284 80 Perstorp Teleprinter No. Sweden 72000 perstp s

Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to

indicate a special address to which correspondence should be sent. Form PCT/RO/101 (first sheet) (5 July 1994; reprint January 1995)

		~
Sheet	NIA	,
Sheer	130.	 4 .

Continuation of Box No. III FURTHER APPLICANTS AND/OR (FURTHER) INVENTORS								
If none of the following sub-boxes is used	, this sheet is not to be included in the request.							
Name and address: (Family name followed by given name; for designation. The address must include postal of the second sec	a legal entity, full official ode and name of country.) This person is: applicant only X applicant and inventor inventor only (If this check-box is marked, do not fill in below.)							
State (i.e. country) of nationality: Sweden	State (i.e. country) of residence: Sweden							
This person is applicant all designated all designated	d States except X the United States the States indicated in the Supplemental Box							
Name and address: (Family name followed by given name; for designation. The address must include postal control of the second of	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)							
State (i.e. country) of nationality:	State (i.e. country) of residence:							
Sweden	Sweden							
	d States except attes of America only the United States the States indicated in the Supplemental Box							
Name and address: (Family name followed by given name; for a designation. The address must include postal control of the contr	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)							
State (i.e. country) of nationality:	State (i.e. country) of residence:							
This person is applicant all designated for the purposes of:	d States except tates of America only the States indicated in the Supplemental Box							
Name and address: (Family name followed by given name; for designation. The address must include postal control of the control	This person is: a legal entity, full official ode and name of country.) This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)							
State (i.e. country) of nationality:	State (i.e. country) of residence:							
This person is applicant all designated all designated	ed States except the United States the States indicated in							
	of America of America of America only the Supplemental Box							
Further applicants and/or (further) inventors are indicated on another continuation sheet.								

Box No.V		DESIGNATION OF STATES					
The fo	The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):						
Regio	Regional Patent						
AP ARIPO Patent: KE Kenya, MW Malawi, SD Sudan, SZ Swazila Contracting State of the Harare Protocol and of the PCT						vaziland, UG Uganda and any other State which is a	
EP European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, DE Germany, I ES Spain, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the Eur Convention and of the PCT						E Ireland, IT Italy, LU Luxembourg, MC Monaco,	
OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Rep GA Gabon, GN Guinea, ML Mali, MR Mauritania, NE Niger, SN which is a member State of OAPI and a Contracting State of the PCT (ij on dotted line)					SN Senegal, TD Chad, TG Togo, and any other State (if other kind of protection or treatment desired, specify		
Nation	nal Pa	tent (if other kind of protection or treatment desired,	spec				
X	AM	Armenia	X	M	D I	Republic of Moldova	
X	AT	Austria	X	M	G I	Madagascar	
X	ΑU	Australia	X	MI	N I	Mongolia	
Image: second color	BB	Barbados	X	M	w i	Malawi	
図	BG	Bulgaria	$\overline{\mathbf{x}}$	M	K I	Mexico	
· 🕅		Brazil	$\overline{\mathbb{N}}$	NO) 1	Norway	
ছ		Belarus	$\overline{\mathbb{N}}$	NZ	ונ	New Zealand	
図		Canada		PL	. 1	Poland	
X X		and LI Switzerland and Liechtenstein	X	PT		Portugal	
X X		China				Romania	
		Czech Republic		RU		Russian Federation	
X		·		SD		Sudan	
N N		Germany				Sweden	
		Denmark		SE			
		Estonia,		SG		Singapore	
K	ES	Spain		SI		Slovenia	
N.	FI	Finland		SK		Slovakia	
K		United Kingdom		TJ		Γajikistan	
		Georgia	K			Turkmenistan	
X	HU	Hungary	K			Frinidad and Tobago	
X	IS	Iceland				Ukraine	
X.	JP	Japan	X	UC		Uganda	
		Kenya	X	US	ŧ	United States of America	
X	KG	Kyrgyzstan					
X	KP	Democratic People's Republic of Korea	X			Uzbekistan	
			X	٧N	ι '	Viet Nam	
	KR	Republic of Korea					
K	KZ	Kazakhstan	Che	ck-t	юx	es reserved for designating States (for the purposes of	
K	LK	Sri Lanka				patent) which have become party to the PCT after this sheet:	
K	LR	Liberia					
K)	LT	Lithuania					
$\overline{\mathbb{K}}$	LU	Luxembourg					
K	LV	Latvia					
In ad	lditio	n to the designations made above, the applicant also	make	s un	der	Rule 4.9(b) all designations which would be permitted	
under The a before limit.	under the PCT except the designation(s) of The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)						
,	- 9		_ ′				

Sheet	No	4	

Box No. VI PRIORITY CLAIM Further priority claims are indicated in the Supplemental Box							
The priority of the following earlier application(s) is hereby claimed:							
Country (in which, or for which, the application was filed)		ing Date nonth/year,)	Applicati	on No.	Office of filing (only for regional or international application)	
item(I) Sweden	24-10- 24 Oct	1994 ober 1994 9403620-9					
item (2)							
item (3)							
Mark the following check-box if the capplication is the receiving Office is he Bureau a certified copy of	<i>a fee may be requ</i> ereby requested	<i>iired):</i> to prepare	and transm	nit to the Internation		poses of the present international	
Box No. VII INTERNATIO	NAL SEARCH	ING AUT	HORITY				
Choice of International Searc are competent to carry out the intern Earlier search Fill in where a sea out or requested and the Authority is	national search, in rch (international	dicate the A internation	uthority cho val-type or o	sen; the two-letter cod ther) by the Internatio	le may be used): onal Searchina Au	thority has already been carried	
such search or request either by ref Country (or regional Office):	erence to the rele	vant applica ty/month/ye	ation (or the	eurch, to the extent po e translation thereof)	or by reference to Number:	is of that eartier search. Identify of the search request.	
Sweden	24 0	ctobe:	r 1994		SE 94,	/00887	
Box No. VIII CHECK LIST							
This international application the following number of sheet 1. request : 4		This inte	ernational a separate s power of	igned 5		em(s) marked below: culation sheet	
•	sheets	2. X	copy of g	eneral attorney 6	separa deposit	te indications concerning ted microorganisms	
3. claims : 1 sheets 4. abstract : 1 sheets 3. statement explaining lack of signature 7. nucleotide and/or amino acid sequence listing (diskette)						tide and/or amino acid	
	5. drawings : 4 sheets 4. priority document(s) 8. X other (specify): TTS-report						
Figure No of the c	drawings (if any) should ac	company t	he abstract when it			
Box No. IX SIGNATURE O	F APPLICAN	Γ OR AGI	ENT				
Next to each signature, indicate the nam				hich the person signs (if	such capacity is no	t obvious from reading the request).	
Angree Le Cor Yngye Stenberg (Patent Manager)							
For receiving Office use only 1. Date of actual receipt of the purported 2. Drawings:							
international application:	our ported					2. Drawings:	
 Corrected date of actual receitimely received papers or drathe purported international ap 	wings completir					received:	
Date of timely receipt of the required corrections under PCT Article 11(2):							
5. International Searching Authorspecified by the applicant:	ority ISA /		6.	Transmittal of until search fee	search copy dela s is paid	ayed	
Date of receipt of the record copy by the International Bureau use only by the International Bureau:							

GB 1088566

SPECIFICATION

L088,566



DRAWINGS ATTACHED

Inventor: HERBERT HAAS

Date of Application and filing Complete Specification: March 1, 1965.

No. 8655/65.

Complete Specification Published: Oct. 25, 1967.

© Crown Copyright 1967.

GT. BRIT. 60

1.088,566

Index at acceptance:—B5 N(17Y, 20Y, 41X, 55Y, 56X, 68X, 69X, 70X, 707, 78Y, 79Y, 178, 184, 189, 192, 214, 225, 226, 239, 250, 253X, 300X, 301X, 303X, 304X, 410, 546, 556, 620, 663, 666, 669, 670, 671, 679, 682, 683, 736, 758, 759)

Int. Cl. .- B 32 b 27/04, B 32 b 27/42

COMPLETE SPECIFICATION

Improvements in making Laminates

We, Formwood Limited, of Tufthorn Avenue, Coleford, Gloucestershire, a British Company, do hereby declare the invention, for which we pray that a patent may be granted to us, and the method by which it is to be performed, to be particularly described in and by the following statement:—

This invention relates to a method of manufacturing laminates of thermosetting resin sheets and wood fibre plates, wood shaving mouldings, or the like, by accelerating the flow and curing process of the thermosetting resins for reducing the curing times thereof.

It is already known that aminoplast moulding compositions can be cured by admixing a curing catalyst in a dry and in some circumstances crystalline form with the moulding composition in measured quantities so that the flowing properties and rate of curing of the composition can be adjusted within determined limits, taking its moisture content into account. This method cannot be applied to resinated sheets or the like because the resinous and catalyst components would have to be applied wet (as a solution or dispersion), which would give them only a restricted stability in storage, since the moulding composition would cure spontaneously owing to the added curing catalyst.

The main deficiency in the coating of wood shaving mouldings, wood fibre plates, or the like has hitherto been the high degree of shrinkage of the mouldings due to long periods of remaining in the heated moulding tool necessary for the hardening process. As a result of this shrinkage of the mouldings the pressure inside the mould drops in part if not entirely, which is particularly so in the case of shaped parts.

For example, bodies moulded from wood shavings may shrink so intensively that they partially lose all contact with the mould, so

as to be no longer under active pressure on all sides. Owing to this circumstance, it may occur, for example, that the decorative coating layer or the outer sheet layer pressed over the moulding is free and without contact pressure in many places during the flowing and hardening period of the moulding. The result is that the enclosed macromolecular gas bubbles which are produced and lie in the upper layer to be hardened are enabled to expand as the mould pressure decreases. But to some extent they are also able to rise to the surface, if they have not already reached it in expanding. If these minute gas bubbles, which can normally be detected only with the aid of especially fine optical means, lacking the requisite counter-pressure, reach the surface in their multitude, they cause a fine open outer skin to be formed over the surface of the coated moulding. Coated parts which exhibit such superficial damage in their outer skin, that is to say in the extremely fine surface zone, are unusable and must therefore be rejected as waste. The numbers of such waste rejects may be very high, depending in each case on the shape and form of the surface-coated body. The cracked surface parts are rough, lack all lustre, pick up dirt, and are particularly susceptible to abrasion. Since, especially in the case of the manufacture of mouldings produced from wood shavings, large and expensive parts are concerned, no firm can afford these high wastage figures; nor can they put on the market any poor specimens of finished products, which might prejudice in an economic sense the whole method as applied hitherto to large and costly parts.

It is an object of the present invention to provide a method whereby these deficiencies are overcome, so as to enable all the aforesaid disadvantages to be obviated by satisfactory and simple means, while at the same time 56

50

00

70

75

[Price 4s. 6d.]

30

40

achieving a substantial increase in production as a consequence of the considerably shorter

curing times.

In the manufacture without wastage or with very little wastage of laminates of thermosetting resin sheets and wood fibre plates, wood shaving mouldings, or the like, the method in accordance with the present invention aims at reducing the time during which the parts are exposed to heat under pressure, thereby entirely or at any rate partially preventing shrinkage of the parts in the mould or in the pressing tool.

However, the pressing and curing or flowing 15 time can only be reduced if the curing substances, for example acids, such as ammonium chloride when formaldehyde resins are used, which act as catalyst accelerating the flow and curing process, are added to the binding agent. It is not possible to add the curing substances immediately to the thermosetting resin binding agent, as this reduces the stability in storage of the foils, causing premature curing of the binder, whereby its effectiveness is impaired

25 or it is rendered useless.

Accordingly, the present invention consists in a method of manufacturing laminates of thermosetting resin sheets and wood fibre plates, wood shaving mouldings or the like, by accelerating the flow and curing process of the thermosetting resins for reducing the curing times thereof, wherein a sheet impregnated with a curing catalyst and thereafter dried is placed under thermosetting resin-impregnated or treated sheets of paper, textile material, fleece) metal foil, or the like to be bonded, irrespective of whether said sheets form balance layers, barrier layers or decorative layers, whereby the thermosetting resin 40 during the pressing operation and an application of heat is under the effect of accelerated flow and curing process.

The sheets carrying the catalyst may be provided as early as during their production with the ingredients which catalytically accelerate the curing and flow properties. This method saves subsequent saturation or impregnation

and drying of the carrier papers.

The catalyst-carrying sheets may also consist of a glass silk or glass fibre fleece or of textiles. These have the advantage that the lined outer zones can be given quite special properties, particularly in respect of wear and surface impact strength.

Furthermore, in the case of statically stressed structural parts, the pressure and tension zone can thereby be strengthened, thus allowing dimensions to be made considerably smaller, thereby in turn affording the possibil-60 ity of desirably light-weight forms of construc-

tion and economies of material.

In order that the invention may be more readily understood, reference is made to the accompanying drawing which illustrates diagrammatically and by way of example a section through a moulding produced from wood shavings with the different laminating sheets.

Referring to the drawing, reference numeral indicates the moulded part made of wood shavings, on which is laid, on one side, a decorative sheet 2, a catalyst sheet 3, a barrier sheet 4 and again a catalyst sheet 5. On the other side, representing the rear side of the moulding, there are provided, for example, a melamine sheet 6, a catalyst sheet 7, a balance sheét 8 and again a catalyst sheet 9. The decorative sheet 2 may be impregnated paper, textile, glass fibre or any other sheet of material suitable for impregnation with thermosefting resins, such as melamine, urea or phenol. The catalyst sheet 3 may be alpha cellulose paper or the same as for the decorative sheet 2 but impregnated with a catalyst, such as ammonium chloride. The barrier sheet 4 may be the same as the decorative sheet 2. All the sheets or layers are pressed together with the moulding 1 under the effect of heat in a known pressing mould (not shown).

In some cases it will be sufficient to use only one catalyst sheet or layer in each case, namely those indicated by 3 and 7. In this case the two plastics-impregnated foils, for example 2 and 4 or 6 and 8 each enclose one

hardener sheet.

WHAT WE CLAIM IS:—

1. A method of manufacturing laminates of thermosetting resin sheets and wood fibre plates, wood shaving mouldings or the like, by accelerating the flow and curing process of the thermosetting resins for reducing the 100 curing times thereof, wherein a sheet impregnated with a curing catalyst and thereafter dried is placed under thrmosetting resin-impregnated or treated sheets of paper, textile material, fleece, metal foil, or the like to be bonded, irrespective of whether said sheets form balance layers, barrier layers or decorative layers, whereby the thermosetting resin during the pressing operation and an application of heat is under the effect of accelerated 110 flow and curing process.

2. A method as claimed in Claim 1, wherein the sheet impregnated with a curing catalyst and subsequently dried may consist of an alpha cellulose paper or other carrier substances, while it is not indispensably necessary that such sheets must be subsequently saturated or impregnated with the catalyst, but as early as during their production the catalyst may

be added to them.

3. A method as claimed in Claim 1, wherein the carrier substance for the sheet carrying the curing catalyst is a textile fabric or a glass fibre or glass silk fleece.

4. A method as claimed in Claim 1, wherein 125 between a decorative sheet or layer and a barrier layer or between a melamine and a balance layer, respectively, a catalyst sheet is laid. 5. A method of manufacturing laminates,

95

substantially as herein described with reference to the accompanying drawing.

6. A laminate whenever produced by the method as claimed in any one of the preceding Claims.

H. A. L. VENNER, Chartered Patent Agent, Rugby Chambers, 2, Rugby Street, London, W.C.1. Agents for the Applicants.

Leamington Spa: Printed for Her Majesty's Stationery Office, by the Courier Press.

-1967. Published by The Patent Office, 25 Southampton Buildings, London, W.C.2,
from which copies may be obtained.

1088566

COMPLETE SPECIFICATION

1 SHEET

This drawing is a reproduction of the Original on a reduced scale

